

Ready culture media in petri dishes, tubes, bottles

Product with minimum order



Description		Packaging	Ref.
A1 MEDIUM Liquid selective medium for fecal coliforms detection in water and food.	APHA	20 tubes	24113
ACETAMIDE BROTH Liquid medium for confirming <i>Pseudomonas aeruginosa</i> .	ISO 16266 ISO 12780	20 tubes x 5 mL	24154
AEROMONAS AGAR Selective medium for <i>Aeromonas</i> spp. isolation.		20 plates	10406 #
ALKALINE PEPTONE WATER Liquid enrichment medium for <i>Vibrio</i> spp. isolation.	APHA	20 tubes 6 bottles x 100 mL	24100 # 401990
AZIDE AGAR (Sheep blood 5%) Selective medium for streptococci isolation.		20 plates 100 plates	11041 11041*
AZIDE DEXTROSE BROTH Liquid selective medium for fecal streptococci detection in water and food.	APHA	10 tubes 100 tubes	20114 26114 #
AZIDE DEXTROSE BROTH (double concentration) Liquid selective medium for fecal streptococci detection in water and food.	APHA	10 tubes 100 tubes	21114 26414 #
AZIDE BLOOD AGAR BASE Base selective medium for streptococci isolation.		6 bottles x 100 mL 6 bottles x 200 mL	402170 412150
BACILLUS CEREUS AGAR (MOSSEL, MYP) Selective medium for <i>Bacillus cereus</i> isolation and enumeration.	ISO 7932	20 plates	10027
BACILLUS CEREUS AGAR (PEMBA) Selective medium for <i>Bacillus cereus</i> isolation and enumeration.	ISO 21871	20 plates	10007
BAIRD PARKER AGAR (Egg yolk tellurite) Selective medium for <i>Staphylococcus aureus</i> isolation in food.	ISO 6888-1	20 plates 100 plates	10020 10020*
BAIRD PARKER AGAR + RPF Selective medium for <i>Staphylococcus aureus</i> isolation.	ISO 6888-2	20 plates	10521
BIGGY (NICKERSON) AGAR Selective medium for <i>Candida</i> spp. isolation and presumptive identification.		20 plates 100 plates 10 tubes 6 bottles x 100 mL	10021 10021* 30091 442350
BILE AESCULIN AGAR Selective medium for group D streptococci isolation.		20 plates 100 plates 10 tubes 6 bottles x 100 mL 6 bottles x 500 mL	10057 10057* 33085 442320 470140
BILE AESCULIN AZIDE AGAR w/VANCOMYCIN Selective medium for isolating vancomycin-resistant enterococci.		20 plates	10411
BILE AESCULIN BROTH Selective medium for group D streptococci isolation.	ISO 7899-2	20 tubes	24120
BISMUTH SULFITE AGAR Selective medium for <i>Salmonella</i> spp. isolation.	U.S.P.	20 plates 100 plates	10047 # 10047* #
BLOOD AGAR BASE (Sheep blood 7%) Medium for fastidious microorganisms isolation and for haemolysis test.	ISO 10560	20 plates	10142
BLOOD AGAR BASE Basal medium for fastidious microorganisms isolation. SHEEP BLOOD DEFIBRINATED		6 bottles x 100 mL 6 bottles x 500 mL 1 bottle x 50 mL	402140 470130 # 83296
BRAIN HEART INFUSION AGAR Medium for cultivation of fastidious aerobic and anaerobic bacteria.		20 plates 100 plates 10 tubes 6 bottles x 100 mL	10060 10060* 30084 402380 #
BRAIN HEART INFUSION BROTH Broth for cultivation of fastidious aerobic and anaerobic bacteria.		20 tubes 6 bottles x 200 mL	24104 412010 #
BRILLIANT GREEN AGAR Selective medium for <i>Salmonella</i> spp. isolation other than <i>S. typhi</i> .		20 plates 100 plates 6 bottles x 100 mL	10022 10022* 402330
BRILLIANT GREEN BILE BROTH 2% Selective medium for coliforms detection and confirmation.	ISO 4831 ISO 4832	10 tubes	20102
BRUCELLA BLOOD AGAR w HEMIN AND VITAMIN K1 Selective medium for <i>Brucella</i> spp. isolation.		20 plates	10245 #
BRUCELLA BROTH Medium for cultivating <i>Brucella</i> spp.		20 tubes	24418






Ready culture media in petri dishes, tubes, bottles

Product with minimum order

Description	ISO 6579 ISO 6785	Packaging	Ref.
BUFFERED PEPTONE WATER Medium for Salmonella pre-enrichment in food.	ISO 6579 ISO 6785	20 tubes 6 bottles x 90 mL 6 bottles x 200 mL 6 bottles x 225 mL	24099 414030 412090 414020
BUFFERED PEPTONE SOLUTION Solution for samples dilution.	E.P. ISO 21149	6 bottles x 100 mL	402410
BURKHOLDERIA CEPACIA SELECTIVE AGAR (BCSA) Selective medium for the isolation of <i>Burkholderia cepacia</i> from clinical and non-clinical specimens.		20 plates	11506 #
CAMPYLOBACTER AGAR (Sheep blood 5%) Selective medium for <i>Campylobacter</i> spp. isolation.		20 plates 100 plates	10050 10050*
CAMPYLOBACTER AGAR BASE Selective basal medium for <i>Campylobacter</i> spp. isolation. SHEEP BLOOD DEFIBRINATED		6 bottles x 200 mL 1 bottle x 50 mL	413030 # 83296
CAMPYLOBACTER BROTH Selective medium for <i>Campylobacter</i> spp. enrichment.		20 tubes	24204
CAMPYLOBACTER PRESTON AGAR Selective medium for <i>Campylobacter</i> spp. detection from clinical specimens.		20 plates	10146 #
CASITONE AGAR Medium for fastidious microorganisms growth.		20 plates	10079 #
CETRIMIDE AGAR Selective medium for <i>Pseudomonas aeruginosa</i> isolation.	E.P.	20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL	10033 10033* 402270 412270
CHOCOLATE AGAR Medium for fastidious microorganisms isolation.		20 plates 100 plates 6 bottles x 100 mL 6 bottles x 500 mL	10023 10023* 442220 470120 #
CHOCOLATE BACITRACIN AGAR Selective medium for <i>Haemophilus</i> spp. isolation.		20 plates 100 plates	11023 11023*
CHRISTENSEN UREA AGAR Medium for enterobacteria urease test.	ISO 6785 ISO 6579	10 tubes 5 bottles x 200 mL	30081 412100
CLED AGAR Medium for total bacterial count in urine.		20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10026 10026* 402180 412180 470110
CLED ANDRADE AGAR Medium for total bacterial count of urine. SHEEP BLOOD DEFIBRINATED		20 plates 100 plates 1 bottle x 50 mL	10004 10004* 83296
CLOSTRIDIUM AGAR (Sheep Blood 5%) Selective medium for <i>Clostridium difficile</i> isolation.		20 plates	11060 #
COLUMBIA AGAR BASE Basal medium for fastidious microorganisms isolation. SHEEP BLOOD DEFIBRINATED		6 bottles x 200 mL 6 bottles x 500 mL 1 bottle x 50 mL	452210 470100 # 83296
COLUMBIA AGAR (Horse blood 5%) Medium for streptococci, staphylococci and pneumococci isolation.		20 plates 100 plates	10025 10025*
COLUMBIA AGAR (Sheep blood 5%) Medium for fastidious microorganisms isolation.		20 plates 100 plates	11025 11025*
COLUMBIA AGAR (Sheep blood 5%) + VANCOMYCIN Medium for identification and differentiation of heteroresistant vancomycin-intermediate <i>S.aureus</i> (h-VISA) and vancomycin-intermediate <i>S.aureus</i> (VISA) from vancomycin-susceptible <i>S.aureus</i> (VSSA)		20 plates	11517 #
COLUMBIA C.N.A. AGAR (Sheep blood 5%) Medium for streptococci, staphylococci and pneumococci isolation.		20 plates 100 plates	11024 11024*
COLUMBIA C.N.A. AGAR BASE Selective basal medium for streptococci, staphylococci and pneumococci isolation. SHEEP BLOOD DEFIBRINATED		6 bottles x 100 mL 6 bottles x 200 mL 1 bottle x 50 mL	402210 412210 83296
COLUMBIA C.N.A. MOD. AGAR (Sheep blood 5%) Selective medium for streptococci isolation.		20 plates 100 plates	11124 11124*




Ready culture media in petri dishes, tubes, bottles

Product with minimum order

Description		Packaging	Ref.
COPRO KIT 1 (Selenite Broth) Enrichment medium for <i>Salmonella</i> spp. isolation in feces.		10 test	85501 #
COPRO KIT 2 (Salmonella Differential Broth) Selective medium for <i>Salmonella</i> spp. screening and isolation in feces.		10 test	85502 #
CORN MEAL AGAR Medium for cultivating yeasts.		20 plates	11507 #
CRYSTAL VIOLET AGAR (Sheep blood 5%) Selective medium for streptococci isolation.		20 plates 100 plates	10042 # 10042 #*
CZAPEK DOX AGAR Selective medium for saprophytic fungi cultivation .		20 plates	10017 #
DEMI FRASER BROTH Medium for <i>Listeria</i> spp. enrichment.	ISO 11290-1	6 bottles x 225 mL	414000
DERMATOPHYTE (D.T.M.) AGAR Selective medium for dermatophyte fungi isolation.		20 plates 100 plates 10 tubes 6 bottles x 100 mL	11052 11052* 33086 # 402200
DESOXYCHOLATE AGAR Selective medium for enterobacteria isolation.	APHA	20 plates 6 bottles x 100 mL 6 bottles x 500 mL	11027 402340 470030 #
DICHLORAN ROSE BENGAL CAF AGAR Selective medium for detecting yeasts and moulds in foods.	ISO 21527	20 plates 100 plates	10097 10097*
E.C. BROTH Selective broth for fecal coliforms detection and for <i>E. coli</i> confirmation.	ISO 7251	10 tubes	20122
E.E. BROTH Broth for enterobacteria selective enrichment (harmonized European Pharmacopoeia).		20 tubes 6 bottles x 100 mL	24096 # 402480
E.M.B. LEVINE AGAR Selective medium for gram-negative enteric bacteria isolation.	USP	20 plates 100 plates 6 bottles x 100 mL	10048 10048* 402350
ENDO AGAR Medium for coliforms detection, enumeration and confirmation test.	APHA	6 bottles x 100 mL	403010
ENTEROBACTER SAKAZAKII ISOLATION AGAR Selective medium for <i>Enterobacter sakazakii</i> isolation.	ISO 22964	20 plates	11623 #
ENTEROCOCCO AGAR (BILE AESCULIN AZIDE AGAR) Selective medium for group D streptococci isolation.		20 plates 100 plates	11057 11057*
ENTEROCOCCUS AGAR + VANCOMYCIN Selective medium for detecting and counting vancomycin-resistant enterococci.		20 plates	11501
GARDNERELLA AGAR (Sheep blood 5%) Selective medium for <i>Gardnerella vaginalis</i> isolation.		20 plates 100 plates	11054 11054*
GBS Agar (Granada) Medium for the isolation and identification of <i>Streptococcus agalatae</i> (Group B Streptococci).		20 plates	10421 #
GLUCOSE BROTH Broth for bacteria growth.		10 tubes	20105
G.N. HAJNA BROTH Broth for gram-negatives enrichment.		20 tubes	24119
HAEMOPHYLUS TEST AGAR Medium for <i>Haemophilus</i> spp. sensitivity testing.		20 plates	10080
HAEMOPHYLUS TEST BROTH Broth for <i>Haemophilus</i> spp. sensitivity testing.		20 tubes	24091 #
Helicobacter pylori GESA medium Transport medium of gastric biopsies for the isolation and identification of <i>Helicobacter pylori</i> .		20 tubes x 1 mL	27001
HELICOBACTER PYLORI TEST Selective broth for <i>Helicobacter pylori</i> isolation in bioptical samples.		20 test	20090
HELICOBACTER PYLORI AGAR Selective medium for <i>Helicobacter pylori</i> isolation.		20 plates	10082
HEKTOEN ENTERIC AGAR Selective medium for pathogenic enterobacteria isolation.	ISO 21567	20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL	10043 10043* 402230 412230

Ready culture media in petri dishes, tubes, bottles

Product with minimum order



Description		Packaging	Ref.
HERELLEA AGAR Selective medium for gram negative bacteria isolation.		20 plates 100 plates	11143 11143*
ISOSENSITEST AGAR Medium for susceptibility test.		20 plates 100 plates	10028 10028*
I.U.T.M. MEDIUM Medium for mycobacteria detection and sensitivity test.		10 tubes	33118
KLIGLER IRON AGAR Differential medium for enterobacteria identification.	ISO 10273	10 tubes	30087
LACTOSE BROTH Broth for coliforms detection.	ISO 9308-2	10 tubes 6 bottles x 100 mL	20106 402090
LACTOSE BROTH (double concentration) Broth for coliforms detection.	ISO 9308-2	10 tubes	21106
LAURYL SULFATE TRYPTOSE BROTH (LST) Selective medium for the detection of coliform bacteria in water and food.	APHA	10 tubes x 10 mL 100 tubes x 10 mL	21453 # 26453 #
LAURYL SULFATE TRYPTOSE BROTH (LST) double concentration Selective medium for the detection of coliform bacteria in water and food.	APHA	10 tubes x 10 mL 100 tubes x 10 mL	21454 # 26454 #
LAURYL SULFATE TRYPTOSE BROTH MODIFIED (mLST) Selective medium for the enrichment of <i>Enterobacter sakazakii</i> .	ISO 22964	20 tubes x 10 mL	24452
L.B. MEDIUM Medium for recombinant <i>Escherichia coli</i> cultivation.		6 bottles x 200 mL	412390
LEGIONELLA AGAR (B.C.Y.E.) Non-selective medium for <i>Legionella</i> spp. isolation.	ISO 11731-1	20 plates 100 plates	10051 10051*
LEGIONELLA AGAR (B.C.Y.E.) w/o cysteine Non-selective medium for <i>Legionella</i> spp. isolation.	ISO 11731-1	20 plates	10412
LEGIONELLA AGAR (G.V.P.C.) Selective medium for <i>Legionella</i> spp. isolation.	ISO 11731-1	20 plates	10128
LEGIONELLA MWY AGAR Selective medium for <i>Legionella</i> spp. isolation.	ISO 11731	20 plates	10127
LETHEEN BROTH Broth for the determination of the phenol coefficient of quaternary ammonium compounds.	AOAC	20 tubes	24170
LISTERIA AESCULIN AGAR Selective medium for <i>Listeria</i> spp. isolation.	ISO 11290-1	20 plates	11230
LISTERIA FRASER BROTH Broth for <i>Listeria</i> spp. enrichment.	ISO 11290-1	20 tubes 10 tubes x 9 mL 6 bottles x 225 mL	24131 20131/9 413980
LISTERIA PALCAM AGAR Selective medium for <i>Listeria</i> spp. isolation.	ISO 11290-1	20 plates	10041
LISTERIA SELECTIVE BROTH Enrichment broth for <i>Listeria</i> spp. isolation.		6 bottles x 200 mL	412070
LISTERIA U.V.M. 1 BROTH Enrichment broth for <i>Listeria</i> spp. isolation.	USDA-FSIS	6 bottles x 225 mL	461030 #
LISTERIA U.V.M. 2 BROTH Enrichment broth for <i>Listeria</i> spp. isolation.	USDA-FSIS	6 bottles x 225 mL	461020
LOEFFLER MEDIUM Medium for <i>Corynebacterium diphtheriae</i> cultivation.		10 tubes	30116
LOWENSTEIN JENSEN MEDIUM Medium for mycobacteria isolation.		10 tubes	30118
LOWENSTEIN JENSEN MEDIUM W/O GLYCEROL Medium for mycobacteria isolation.		10 tubes	30119
LYSINE DECARBOXYLASE BROTH Medium for lysine decarboxylation test.	APHA	10 tubes	24139 #
LYSINE IRON AGAR Differential medium for enterobacteria identification.		10 tubes 6 bottles x 200 mL	30098 412040 #
M17 AGAR Medium for lactic streptococci enumeration.		6 bottles x 100 mL	402110 #
M.R.S. AGAR Medium for lactobacilli isolation.	ISO 15214	6 bottles x 100 mL	402120
M.S.R.V. AGAR (Modified Semisolid Rappaport Vassiliadis) Selective medium for <i>Salmonella</i> spp. isolation.		20 plates 100 plates	10049 10049*

Ready culture media in petri dishes, tubes, bottles

Product with minimum order

Description		Packaging	Ref.
MAC CONKEY AGAR Selective medium for Gram-negative bacteria isolation.	E.P.	20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10029 10029* 402240 412240 470090
MAC CONKEY BROTH Selective broth for coliforms isolation.		10 tubes 6 bottles x 100 mL	20126 402490
MAC CONKEY MUG AGAR Selective medium for <i>Escherichia coli</i> isolation.	E.P.	20 plates	10129 #
MAC CONKEY SORBITOL AGAR Selective medium for <i>Escherichia coli</i> O157 isolation.		20 plates 6 bottles x 100 mL	10005 402450 #
MALONATE BROTH Broth for enterobacteria differentiation.		20 tubes	24137 #
MALT AGAR Medium for yeasts and moulds isolation.		20 plates	10418
MALT EXTRACT AGAR Medium for yeasts and moulds isolation.		6 bottles x 100 mL	402470
MANNITOL SALT AGAR Selective medium for pathogenic staphylococci isolation (harmonized European Pharmacopoeia).	E.P.	20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10030 10030* 402290 412290 470080
MAXIMUM RECOVERY BROTH Isotonic diluent for microorganisms optimal recovery.	ISO 6887-1	6 bottles x 200 mL	412400
m-ENDO AGAR LES Medium for coliforms isolation and enumeration in water by membrane filtration (APHA).		20 plates 100 plates	11053 11053*
m-FAECAL COLIFORM AGAR Selective medium for fecal coliforms isolation and enumeration in water by membrane filtration.	APHA	20 plates 100 plates 6 bottles x 100 mL	11210 11210* 403020
MIDDLEBROOK 7 H 10 AGAR Medium for mycobacteria culture.		10 tubes	30368 #
MIDDLEBROOK 7H11 AGAR Medium for antimicrobial susceptibility testing of mycobacteria.		20 plates	10416 #
MILK AGAR Medium for microorganisms enumeration in milk.		6 bottles x 150 mL	401950
MOTILITY TEST MEDIUM Medium for bacterial motility determination.		20 tubes	24342
MR-VP MEDIUM Medium for carrying out Methyl Red (MR) and Voges-Proskauer (VP) tests.	ISO 6785 ISO 6579	20 tubes	24149 #
MUELLER HINTON AGAR II Medium for susceptibility test (Kirby Bauer method), low concentration of thymine-thymidine with Ca ⁺⁺ and Mg ⁺⁺ .	CLSI	20 plates 100 plates 10 plates 140 mm 5 plates 120x120 mm 10 tubes 10 tubes x 22 mL 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10031 10031* 10231 # 12031 # 30090 # 34075 # 402250 412250 470070
MUELLER HINTON AGAR II + 2% NaCl Medium for antimicrobial susceptibility testing of staphylococci with Oxacillin.	CLSI	20 plates	11206 #
MUELLER HINTON BROTH II Broth for susceptibility test (Kirby Bauer method), low concentration of thymine-thymidine with Ca ⁺⁺ and Mg ⁺⁺ .	CLSI	20 tubes 6 bottles x 100 mL	24107 402020
MUELLER HINTON AGAR II (Sheep blood 5%) Medium for susceptibility testing to antibiotics of fastidious microorganisms.	CLSI	20 plates 100 plates	10131 10131*
MUELLER HINTON II FASTIDIOUS AGAR (Horse blood 5% + 20 mg/L β-NAD) Medium for antimicrobial susceptibility testing of <i>Streptococcus</i> spp., <i>Haemophilus</i> spp., and some other fastidious organisms.	EUCAST	20 plates 10 plates 140 mm	10132 11132 #
MULLER KAUFFMANN BROTH Broth for <i>Salmonella</i> spp. selective enrichment.		20 tubes 6 bottles x 100 mL	24108 402030

Ready culture media in petri dishes, tubes, bottles

Product with minimum order

Description		Packaging	Ref.
MULLER KAUFFMANN Tetrathionate Novobiocin Broth (MKTn) Selective enrichment broth for the isolation of <i>Salmonella</i> spp. from food samples.	ISO 6579	6 bottles x 100 mL 20 tubes x 10 mL 100 tubes x 10 mL	403110 20072 26072 #
MYCOPLASMA AGAR Selective medium for isolating urogenital mycoplasma.		20 plates	11205
MYCOPLASMA TRANSPORT BROTH Liquid medium for transporting and storing clinical specimen for mycoplasma and other pathogenic microorganisms detection.		20 vials	20158
MYCOSEL AGAR Selective medium for pathogenic fungi isolation.		20 plates 100 plates	11070 11070*
MYCOSEL BROTH Selective broth for pathogenic fungi isolation.		20 tubes	24070
NUTRIENT AGAR Medium for microorganism growth and enumeration.	ISO 12780	20 plates 100 plates 10 tubes 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10044 10044* 30083 402190 412190 470060 #
NUTRIENT BROTH Broth for microorganisms culture.	APHA	20 tubes 6 bottles x 100 mL	24103 402000
NUTRIENT GELATIN Medium for gelatin liquefaction test.		20 tubes	24153 #
O.G.Y.E. AGAR (Oxytetracycline) Selective medium for yeasts and moulds isolation.	ISO 7954	20 plates 100 plates	11055 11055*
O.N.P.G. AGAR Medium for lactose fermenting bacteria differentiation.		10 tubes	33066 #
ORANGE SERUM AGAR Medium for isolation and count of bacteria and yeasts in citrus fruits and derivatives.	APHA	20 plates	10089 #
PAR TEST AGAR Medium containing spores of <i>Geobacillus stearothermophilus</i> var. <i>calidolactis</i> C953 for residual antibiotic detection in biological liquids, milk and food.		20 plates	11200
BLANK DISCS Paper discs.		250 discs	9999
PEPTONE WATER Medium for indole production test.	ISO 7251	20 tubes 6 bottles x 100 mL	24098 402130
PHENOL RED BROTH Base broth for carbohydrate fermentation.		10 tubes	21146 #
PHENYLALANINE AGAR Medium for enterobacteria differentiation.		10 tubes 6 bottles x 200 mL	30085 412170
FERRIC CHLORIDE 10% Reagent for phenylalanine deamination test.		2 bottles x 25 mL 20 x 2.5 mL	80272 87004
PHYSIOLOGICAL SOLUTION Physiological solution for microbiological use.		20x7 mL 6 x 500 mL 6 x 240 mL	20095 473000 471120
PLATE COUNT AGAR Medium for bacterial count in water and foodstuffs.	ISO 4833	20 plates 100 plates 10 tubes 10 tubes x 22 mL 6 bottles x 100 mL 6 bottles x 150 mL 6 bottles x 200 mL 6 bottles x 500 mL	10032 10032* 33070 # 34073 402260 401940 412260 470180
POTATO DEXTROSE AGAR Medium for yeasts and moulds enumeration.	E.P.	20 plates 100 plates	11199 # 11199*
PSEUDOMONAS CN AGAR Selective medium for <i>Pseudomonas</i> spp. isolation.	EN 12780	20 plates	11034
PSEUDOMONAS SELECTIVE AGAR (CFC) (Cetrimide, Fucidin, Cephaloridine) Selective medium for <i>Pseudomonas</i> spp. isolation.		20 plates	10061
PURPLE GLUCOSE AGAR Medium for enterobacteriaceae identification.	ISO 21528	20 tubes	24151
PURPLE LACTOSE BROTH Broth for coliforms isolation.		10 tubes	20140 #

Ready culture media in petri dishes, tubes, bottles

Product with minimum order

Description		Packaging	Ref.
R2 AGAR Medium for heterotrophic microorganisms count in drinking water.	E.P.	20 plates 6 bottles x 500 mL	10019 472580
RAPPAPORT BROTH w/o SOY Selective enrichment liquid medium for detection of motile <i>Salmonella</i> spp. from food and environmental samples.		20 tubes x 10 mL	24450 #
RAPPAPORT VASSILIADIS SOY (RSV) BROTH Broth for <i>Salmonella</i> enrichment.	ISO 6785 ISO 6579	20 tubes 6 bottles x 100 mL	24400 402550 #
ROGOSA AGAR Selective medium for lactobacilli isolation and enumeration.		20 plates	10039 #
ROSE BENGAL CAF AGAR Selective medium for yeasts and moulds isolation and enumeration.	APHA	20 plates 100 plates 6 bottles x 100 mL	10034 10034* 442480 #
R.P.M.I. AGAR (2% glucose + MOPS) Medium for antifungal susceptibility testing.		20 plates 10 plates 140 mm	11509 10233 #
S.F. BROTH Selective broth for fecal streptococci isolation.	AOAC	20 tubes	24411
SPS AGAR Medium for <i>Clostridium perfringens</i> isolation and enumeration.	APHA	20 plates 100 plates 10 tubes 6 bottles x 100 mL 6 bottles x 150 mL	11196 # 11196* # 33065 442490 401930
S.S. AGAR Selective medium for <i>Salmonella</i> and <i>Shigella</i> isolation.		20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL	10036 10036* 402300 412300
SABOURAUD DEXTROSE AGAR Medium for yeasts and moulds isolation.	E.P.	20 plates 20 plates Irradiated 100 plates 10 tubes 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10035 10035S # 10035* 30093 402280 412280 470040
SABOURAUD CAF AGAR Selective medium for pathogenic fungi isolation.		20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL	11035 11035* 402370 412370
SABOURAUD CAF AGAR + ACTIDIONE Selective medium for pathogenic fungi isolation.		10 tubes	30024 #
SABOURAUD CAF AGAR + GENTAMICIN Selective medium for pathogenic fungi isolation.		20 plates	10235
SABOURAUD CAF AGAR + TTC Selective medium for pathogenic fungi isolation.		20 plates 100 plates	11235 # 11235*
SABOURAUD AGAR + GENTAMICIN Selective medium for pathogenic fungi isolation.		20 plates 100 plates	11335 11335*
SABOURAUD DEXTROSE BROTH Broth for yeasts and moulds culture.	E.P.	20 tubes 6 bottles x 100 mL 6 bottles x 500 mL	24109 402040 # 471070 #
SCHAEDLER BROTH Culture broth for anaerobic bacteria culture.		10 tubes	22130
SCHAEDLER K AGAR (Sheep blood 5%) Medium for antimicrobial susceptibility testing of anaerobic bacteria.		20 plates 100 plates	11065 11065*
SCHAEDLER KKV AGAR (Sheep blood 5%) Selective medium for anaerobic gram-negative bacteria isolation		20 plates 100 plates	10065 10065*
SELENITE BROTH Broth for <i>Salmonella</i> spp. enrichment.	APHA	20 tubes 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	24110 402050 412050 470020
SELENITE CYSTINE BROTH Broth for selective enrichment of <i>Salmonella</i> spp.	ISO 6785	20 tubes 6 bottles x 100 mL	24510 # 402390
SERUM BROTH Broth for fastidious microorganisms enrichment.		20 tubes	24125 #
SIM MEDIUM Differential medium for indole, motility and H ₂ S tests.	U.S.P.	10 tubes 6 bottles x 100 mL	30095 403050




Ready culture media in petri dishes, tubes, bottles

Product with minimum order

Description		Packaging	Ref.
SIMMONS CITRATE AGAR Differential medium for enterobacteria identification.	ISO 10273	10 tubes 6 bottles x 200 mL	30011 412030
SLANETZ BARTLEY AGAR Selective medium for fecal streptococci enumeration and isolation.	ISO 7899-2	20 plates 100 plates	11058 11058*
STREPTOCOCCAL KF+TTC AGAR Selective medium for fecal streptococci isolation and enumeration.	APHA	20 plates 100 plates 10 tubes	10038 10038* 30010 #
STREPTOCOCCAL KF AGAR Selective medium for fecal streptococci isolation and enumeration.	APHA	6 bottles x 100 mL	402150
TTC 1% supplement Supplement for bacteria differentiation		5x10 mL	80300
STREPTOCOCCUS BROTH Selective broth for streptococci isolation.		20 tubes	24412
SULPHATE REDUCERS BROTH Broth for sulphate reducers bacteria detection.		20 tubes	24440 #
T.C.B.S. AGAR Selective medium for <i>Vibrio</i> spp. isolation.	ISO 8914	20 plates 100 plates	11195 11195*
T.S.I. AGAR Differential medium for enterobacteriaceae identification.	U.S.P.	10 tubes 6 bottles x 200 mL	30096 413020
TETRATHIONATE BROTH Selective enrichment medium for the isolation of <i>Salmonella</i> spp.		20 tubes	24451 #
THAYER MARTIN AGAR Selective medium for pathogenic neisseriae isolation.		20 plates 100 plates	11040 11040*
THIOGLYCOLLATE MEDIUM Broth for aerobic and anaerobic bacteria culture in sterility tests.	ISO 7937	20 tubes 6 bottles x 100 mL	24124 452060
TODD HEWITT BROTH Medium for group A β -haemolytic streptococci culture.		20 tubes 6 bottles x 200 mL	24111 412060
TODD HEWITT BROTH w Colistin / Nalidixic Acid Selective medium for cultivating and isolating group B streptococci.		20 tubes	24145
TRICHOMONAS BROTH Culture broth for <i>Trichomonas</i> spp.		20 tubes 6 bottles x 500 mL	24115 470150 #
TRIPLE SUGAR IRON AGAR Differential medium for enterobacteriaceae identification.	ISO 6579	10 tubes	30100
TRYPTIC SOY AGAR Medium for non-fastidious bacteria growth.	E.P.	20 plates 20 plates Irradiated 100 plates 10 tubes 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10037 10037S 10037* 30082 442290 432290 470010
TRYPTIC SOY AGAR (Sheep blood 5%) Medium for fastidious bacteria isolation.		20 plates 100 plates	11037 11037*
TRYPTIC SOY BROTH Broth for fastidious bacteria growth.	E.P.	20 tubes 6 bottles x 100 mL 6 bottles x 200 mL	24513 452080 442080
TRYPTOPHAN BROTH Medium for indole reaction.	ISO 9308	20 tubes x 3mL	24073
TRYPTONE WATER Medium for <i>Escherichia coli</i> determination.	ISO 3811	10 tubes 6 bottles x 100 mL	20136 401980
TRYPTOSE AGAR Medium for fastidious bacteria growth.	APHA	10 tubes 6 bottles x 100 mL	30097 402320 #
TRYPTOSE BROTH Broth for fastidious bacteria enrichment.		20 tubes 6 bottles x 100 mL	24112 402070 #
VIOLET RED BILE GLUCOSE AGAR Selective medium for enterobacteria isolation and count.	ISO 21528-2 E.P.	20 plates 6 bottles x 100 mL	11184 402540
VIOLET RED BILE LACTOSE AGAR Selective medium for coliforms isolation and enumeration.	ISO 4832	20 plates 100 plates 10 tubes x 22 mL 6 bottles x 100 mL	11183 11183* 34076 402460
VIOLET RED BILE LACTOSE AGAR + MUG Selective medium for isolation and enumeration of coliforms and <i>Escherichia coli</i> .		20 plates	10012 #

Ready culture media in petri dishes, tubes, bottles

Product with minimum order



Description		Packaging	Ref.
UREA BROTH Medium for enterobacteria differentiation.		20 tubes	24416
UREA / INDOLO BROTH Medium for indole and urease test.		6 bottles x 100 mL	403060
VAGITUBE Medium for the search for <i>Trichomonas vaginalis</i> and for yeasts in urogenital samples.		20 tubes	20340
VOGEL JOHNSON AGAR Selective medium for <i>Staphylococcus aureus</i> isolation.	U.S.P.	20 plates 100 plates	11185 # 11185* #
WURTZ LACTOSE AGAR Medium for enterobacteria isolation.		20 plates 100 plates 6 bottles x 100 mL	10054 10054* 442300
XLD AGAR Differential and selective medium for pathogenic enterobacteria isolation.	ISO 6579 ISO 21567	20 plates 100 plates	10056 10056*
XLD AGAR Pharmacopoeia formulation Differential and selective medium for pathogenic enterobacteria isolation.	EP, USP, JP, BP	20 plates	10413 #
X.L.T. 4 AGAR Selective medium for <i>Salmonella</i> spp. isolation.		20 plates	10069
YEAST EXTRACT AGAR Medium for microorganisms enumeration in water.		20 tubes 6 bottles x 200 mL	34074 # 412120
YEAST GLUCOSE CHLORAMPHENICOL AGAR Selective medium for yeasts and moulds isolation and enumeration.	ISO 7954	20 plates	10011 #
YERSINIA BROTH Enrichment broth for <i>Yersinia enterocolitica</i> isolation.		20 tubes	24432
YERSINIA SELECTIVE AGAR Selective medium for <i>Yersinia enterocolitica</i> isolation.	ISO 10273	20 plates 100 plates	10052 10052*