# **Liofilchem**®

# SAFETY DATA SHEET (According to Regulation EC n° 1907/2006 and to Commission Regulation EU 2020/878) Revision: 3 / Revision Date: 21.10.2024

# ENGLISH

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### **1.1 Product identifiers**

Product name: Anaerobic Agar (Brewer) Product Number: 610320

**1.2 Identified uses of the relevant substance or mixture and uses advised against** Identified uses relevant: Professional uses, Health Services, scientific research and development

# 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Liofilchem<sup>®</sup> Address: Via Scozia, 64026 - Roseto degli Abruzzi (TE) Telephone number: 085/8930745 Fax number: 085/8930330 E-mail address: liofilchem@liofilchem.com **1.4 Emergency telephone number** +39 02-66101029 (Centro Antiveleni Niguarda Cà Granda - Milano).

# SECTION 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Acute Tox. 4, Acute Toxicity (Category 4), H302 Skin Sens. 1, Skin sensitization (Category 1); H317 Muta. 2, Germ Cell Mutagenicity (Category 2); H341

# 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 [CLP]

Pictogram



Signal word

Warning

# Hazard statement(s)

H302	Harmful if swallowed
H317	May cause an allergic skin reaction
H341	Suspected of causing geniting defects

# Precautionary statement(s)

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P261	Avoid breathing dust
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P301 + P312	IF SWALLOWED: Call a doctor if you feel unwell
P302 + P352	IF ON SKIN: Wash with plenty of water and soap
P308 + P313	IF exposed or concerned: Get medical advice
P330	Rinse mouth
P333 + P313	If skin irritation or rash occurs: Get medical advice
P363	Wash contaminated clothing before reuse

# Supplemental Hazard Statements - none

**2.3 Other hazards** - This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **Liofilchem**®

# SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

# 3.2 Mixtures:

# Hazardous substances

CAS n°	EC n°	Index n°	Registration number REACH	Concentration	Classification according Regulation (EC) No 1272/2008		
Sodium thiogly	Sodium thioglycolate						
367-51-1	206-696-4	-	-	5,1 %	Met. Corr. 1 ; H290 Acute Tox. 3 ; H301 Acute Tox. 4 ; H312 Skin Sens. 1 ; H317		
Sodium hydroxymethanesulphinate							
6035-47-8	205-739-4	-	-	1,7%	Muta.2; H341 Repr.2; H361d		

# Additional Information:

For full text of H-statements, see SECTION 16

# **SECTION 4. FIRST AID MEASURES**

# 4.1 Description of first aid measures

**General advice:** Consult a physician. Show this safety data sheet to the doctor in attendance. Do not handle until all safety precautions have been read and understood

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Consult a physician

In case of eye contact: Flush eyes with water as a precaution

**If swallowed:** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

no data available

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

# SECTION 5. FIRE-FIGHTING MEASURES

# 5.1 Extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

No data available.

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Do not inhale.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided

# 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

# **Liofilchem**<sup>®</sup>

# 6.4 Reference to other sections

For information on safe handling, see Chapter 7. For information on personal protection equipment see Chapter 8. For disposal information see Chapter 13.

# SECTION 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin. Provide appropriate exhaust ventilation at places where dust is formed. Do not inhale the mixture.

Do not eat, drink or smoke in work areas, wash hands after use; and remove contaminated clothing and protective equipment before entering areas where you eat.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Recommended storage temperature, see the product label.

# 7.3 Specific end uses

Apart from the uses described in section 1.2 are not covered other specific uses.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

• Sodium thioglycolate (CAS No. 367-51-1)

DNEL

Limit value type: DNEL Consumer (systemic) Exposure route: Oral Exposure frequency: Long-term Limit value: 0.174 mg/m<sup>3</sup>

Limit value type: DNEL Consumer (systemic) Exposure route: Dermal Exposure frequency: Long-term Limit value: 19.3 µg/kg bw/day

Limit value type: DNEL Consumer (systemic) Exposure route: Oral Exposure frequency: Long-term Limit value: 0.1 mg/kg bw/day

Limit value type: DNEL worker (local) Exposure route: Dermal Exposure frequency: Long-term Limit value: 0.004 mg/cm<sup>2</sup>

Limit value type: DNEL worker (systemic) Exposure route: Oral Exposure frequency: Long-term Limit value: 0.987 mg/m<sup>3</sup>

Limit value type: DNEL worker (systemic) Exposure route: Dermal Exposure frequency: Long-term Limit value: 0.163 mg/kg bw/day

# PNEC

Limit value type: PNEC (Aquatic, freshwater) Exposure route: Water (Including sewage plant) Exposure time: Short-term Limit value: 0.011 mg/l

Limit value type: PNEC (Aquatic, intermittent release) Exposure route: Water (Including sewage plant) Exposure time: Short-term Limit value: 0.051 mg/l

Limit value type: PNEC (Aquatic, marine water)

©Liofilchem® s.r.l. Via Scozia 64026, Roseto degli Abruzzi (TE) Italy - Tel +39 0858930745 - Fax +39 0858930330

# **Liofilchem**<sup>®</sup>

Exposure route: Water (Including sewage plant) Exposure time: Short-term Limit value: 0.001 mg/l

Limit value type: PNEC (Sediment, freshwater) Exposure route: Water (Including sewage plant) Exposure time: Short-term Limit value: 0.039 mg/kg dw

Limit value type: PNEC (Sediment, marine water) Exposure route: Water (Including sewage plant) Exposure time: Short-term Limit value: 0.004 mg/kg dw

Limit value type: PNEC (Soil) Exposure route: Soil Exposure time: Short-term Limit value: 0.002 mg/kg soil dw

Limit value type: STP Exposure route: Water (Including sewage plant) Exposure time: Short-term Limit value: 10 mg/l

# 8.2 Exposure controls

**Exposure controls** Handle in accordance with good hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

Eyes/Face Protection: It is advisable wear safety goggles Skin protection: Handle with gloves Body Protection: Use protective clothes in accordance with laboratory good practices. Respiratory protection: It is advisable wear dust mask.

# Environmental exposure control

For information relating to environmental precautions, see chapter 6.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information Appearance	n on basic physical and chemical pro	perties
Form	Powder	
Color	Light beige	
Odour		No data available
рН		7.2 ± 0.2 at 19.8 g/l at 25 °C
Melting point/	freezing point	No data available
Initial boiling p	point and boiling range	No data available
Evaporation ra	ate	No data available
Flammability (		No data available
Upper / lower f	flammability or explosive limits	No data available
Flash point		No data available
Auto-ignition t	temperature	No data available
Decomposition	n temperature	No data available
Vapour pressu	ıre	No data available
Vapour density	у	No data available
Relative densi	ty	No data available
Water solubilit	ty	Soluble
Partition coeff	icient: n-octanol/water	No data available
Viscosity		No data available
Explosive prop	perties	Product is not explosive
Oxidizing prop	perties	No data available
9.2 Other safe	ety information	

no data available

©Liofilchem® s.r.l. Via Scozia 64026, Roseto degli Abruzzi (TE) Italy - Tel +39 0858930745 - Fax +39 0858930330

# **Liofilchem**®

# SECTION 10. STABILITY AND REACTIVITY

### **10.1 Reactivity** No data available

**10.2 Chemical stability** Stable under recommended storage conditions

**10.3 Possibility of hazardous reactions** No data available

# 10.4 Conditions to avoid

Exposure to direct solar light

**10.5 Incompatible materials** No data available

**10.6 Hazardous decomposition products** No decomposition when used for the intended uses.

# SECTION 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

# Acute toxicity:

- Sodium thioglycolate (CAS No. 367-51-1) LD50 Oral - Rat - > 50 mg/kg LD50 Dermal - Rat - - > 1.000 mg/kg LC50 Inhalation – Rat - > 2729 mg/l
- Sodium hydroxymethanesulphinate (CAS No. 6035-47-8) LD50 Oral - Rat - > 5.000 mg/kg LD50 Dermal - Rat - - > 2.000 mg/kg
- **Mixture** Oral: 300 < STA < 2000

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: Sodium hydroxymethanesulphinate is suspected of causing genetic defects.

Carcinogenicity: no data available

Reproductive toxicity: Sodium hydroxymethanesulphinate is suspected is suspected of damaging the unborn child.

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional information: RTECS: no data available

# **SECTION 12. ECOLOGICAL INFORMATION**

12.1 Toxicity

• Sodium thioglycolate (CAS No. 367-51-1)

LC50 - Oncorhynchus mykiss (Rainbow trout) - Acute (short-term) fish toxicity  $\rightarrow$  <100 mg/L 96 hours EC50 - Daphnia magna (Big water flea) - Acute (short-term) toxicity to crustacea  $\rightarrow$  38 mg/l 48 hours ErC50 - Desmodesmus subspicatus - Acute (short-term) toxicity to algae and cyanobacteria  $\rightarrow$  100 mg/l 72 hours

EC50 -activated sludge - Toxicity to microorganisms  $\rightarrow$  820 mg/l 0.5 hours

# • Sodium hydroxymethanesulphinate (CAS No. 6035-47-8)

LC50 – Leuciscus idus (Golden orfe) - Acute (short-term) fish toxicity → 10000 mg/L 96 hours EC50 - Daphnia magna (Big water flea) - Acute (short-term) toxicity to crustacea → <100 mg/l 48 hours ErC50 - Desmodesmus subspicatus - Acute (short-term) toxicity to algae and cyanobacteria → 370 mg/l 72 hours

EC50 -activated sludge - Toxicity to microorganisms  $\rightarrow$  10 mg/l 4 hours

©Liofilchem® s.r.l. Via Scozia 64026, Roseto degli Abruzzi (TE) Italy - Tel +39 0858930745 - Fax +39 0858930330



# 12.2 Persistence and degradability

no data available

#### 12.3 Bioaccumulative potential

• Sodium thioglycolate (CAS No. 367-51-1) Log KOW → -2.99

# 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

This mixture contains no substances evaluated PBT or vPvB

#### **12.6 Endocrine disrupting properties**

The mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# 12.7 Other adverse effects

none

# SECTION 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

#### Product

Not be disposed of with household waste. Do not discharge into sewers.

The product must be specially treated adhering to official regulations administrative. Offer surplus and non-recyclable solutions to a licensed disposal company.

# Contaminated packaging

Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION			
14.1 UN number ADR/RID: -	IMDG: -	IATA: -	
<b>14.2 UN proper shipping name</b> ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods			
14.3 Transport hazard cla ADR/RID: -	i <b>ss(es)</b> IMDG: -	IATA: -	
<b>14.4 Packaging group</b> ADR/RID: -	IMDG: -	IATA: -	
14.5 Environmental hazards   ADR/RID: no IMDG: no   14.6 Special precautions for user   no data available			

# 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

no data available

# 15. REGULATORY INFORMATION

This safety datasheet complies with:

- the requirements of European Parliament and of the Council Regulation (EC) No. 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and Commission Regulation (EU) No. 453/2010 amending Commission Regulation (EC) No. 1907/2006.
- the requirements of Commission Regulation EU 2020/878

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** The product is classified, coded and labeled in accordance with EU Regulation on Hazardous Materials.

# 15.2 Chemical Safety Assessment

# **Liofilchem**<sup>®</sup>

This product has not been made a chemical safety assessment.

# **16. OTHER INFORMATION**

Text of H code(s) mentioned in Section 3 Skin Sens. 1, Skin sensitization (Category 1) Met. Corr. 1; Corrosive to metals (Category 1) Acute Tox. 3 ; Acute Toxicity (Category 3) Acute Tox. 4 ; Acute Toxicity (Category 4) Muta.2; Germ cell mutagenicity, (Category 2) Repr.2; Reproductive toxicity, (Category 2) H290 May be corrosive to metals H301 Toxic if swallowed H312 Harmful in contact with skin H317 May cause an allergic skin reaction H341 Suspected of causing genetic defects H361d Suspected of damaging the unborn child Abbreviations and acronyms - ADR: European Agreement concerning the carriage of Dangerous goods by Road - ATE: Acute Toxicity Estimate - CAS: Chemical Abstract Service Number - CE50: Effective concentration (required to induce a 50% effect) - CE: Identifier in ESIS (European archive of existing substances) - CLP: Regulation (EC) 1272/2008 - DNEL: Derived No Effect Level - EmS: Emergency Schedule - GHS: Globally Harmonized System of classification and labeling of chemicals - IATA DGR: International Air Transport Association Dangerous Goods Regulation

- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure

# Training advice

The product must be used by qualified personnel. It is recommended to provide basic training with regard to safety and health at work to ensure proper handling of the product.

# **Further information**

The information in this document is based on the present state of our knowledge. The user must ensure the accuracy and completeness of such information in relation to the specific use intended.

Liofilchem® shall not be held liable for any damage resulting from handling or from contact with the above product. See www.liofilchem.com. for additional terms and conditions of sale.

Previous date: 01.06.2015 Revision date: 21.10.2024 Revision Number: rev. 3